

## Certification Report

### NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2

Sponsor and developer: **NXP Semiconductors N.V.**  
High Tech Campus 60  
5656AG Eindhoven  
The Netherlands

Evaluation facility: **TÜV Informationstechnik GmbH**  
Am TÜV 1  
45307 Essen  
Germany

Report number: **NSCIB-CC-2200043-02-CR**

Report version: **1**

Project number: **NSCIB-2200043-02**

Author(s): **Jordi Mujal**

Date: **11 August 2023**

Number of pages: **13**

Number of appendices: **0**

*Reproduction of this report is authorised only if the report is reproduced in its entirety.*

# CONTENTS

|  |           |
|--|-----------|
| <b>Foreword</b>                            | <b>3</b>  |
| <b>Recognition of the Certificate</b>      | <b>4</b>  |
| International recognition                  | 4         |
| European recognition                       | 4         |
| <b>1 Executive Summary</b>                 | <b>5</b>  |
| <b>2 Certification Results</b>             | <b>6</b>  |
| 2.1 Identification of Target of Evaluation | 6         |
| 2.2 Security Policy                        | 6         |
| 2.3 Assumptions and Clarification of Scope | 7         |
| 2.3.1 Assumptions                          | 7         |
| 2.3.2 Clarification of scope               | 7         |
| 2.4 Architectural Information              | 8         |
| 2.5 Documentation                          | 8         |
| 2.6 IT Product Testing                     | 8         |
| 2.6.1 Testing approach and depth           | 8         |
| 2.6.2 Independent penetration testing      | 9         |
| 2.6.3 Test configuration                   | 9         |
| 2.6.4 Test results                         | 9         |
| 2.7 Reused Evaluation Results              | 9         |
| 2.8 Evaluated Configuration                | 9         |
| 2.9 Evaluation Results                     | 10        |
| 2.10 Comments/Recommendations              | 10        |
| <b>3 Security Target</b>                   | <b>11</b> |
| <b>4 Definitions</b>                       | <b>11</b> |
| <b>5 Bibliography</b>                      | <b>13</b> |

## Foreword

The Netherlands Scheme for Certification in the Area of IT Security (NSCIB) provides a third-party evaluation and certification service for determining the trustworthiness of Information Technology (IT) security products. Under this NSCIB, TrustCB B.V. has the task of issuing certificates for IT security products, as well as for protection profiles and sites.

Part of the procedure is the technical examination (evaluation) of the product, protection profile or site according to the Common Criteria assessment guidelines published by the NSCIB. Evaluations are performed by an IT Security Evaluation Facility (ITSEF) under the oversight of the NSCIB Certification Body, which is operated by TrustCB B.V. in cooperation with the Ministry of the Interior and Kingdom Relations.

An ITSEF in the Netherlands is a commercial facility that has been licensed by TrustCB B.V. to perform Common Criteria evaluations; a significant requirement for such a licence is accreditation to the requirements of ISO Standard 17025 “General requirements for the accreditation of calibration and testing laboratories”.

By awarding a Common Criteria certificate, TrustCB B.V. asserts that the product or site complies with the security requirements specified in the associated (site) security target, or that the protection profile (PP) complies with the requirements for PP evaluation specified in the Common Criteria for Information Security Evaluation. A (site) security target is a requirements specification document that defines the scope of the evaluation activities.

The consumer should review the (site) security target or protection profile, in addition to this certification report, to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, its security requirements, and the level of confidence (i.e., the evaluation assurance level) that the product or site satisfies the security requirements stated in the (site) security target.

Reproduction of this report is authorised only if the report is reproduced in its entirety.

## Recognition of the Certificate

Presence of the Common Criteria Recognition Arrangement (CCRA) and the SOG-IS logos on the certificate indicates that this certificate is issued in accordance with the provisions of the CCRA and the SOG-IS Mutual Recognition Agreement (SOG-IS MRA) and will be recognised by the participating nations.

### International recognition

The CCRA was signed by the Netherlands in May 2000 and provides mutual recognition of certificates based on the Common Criteria (CC). Since September 2014 the CCRA has been updated to provide mutual recognition of certificates based on cPPs (exact use) or STs with evaluation assurance components up to and including EAL2+ALC\_FLR.

For details of the current list of signatory nations and approved certification schemes, see <http://www.commoncriteriaportal.org>.

### European recognition

The SOG-IS MRA Version 3, effective since April 2010, provides mutual recognition in Europe of Common Criteria and ITSEC certificates at a basic evaluation level for all products. A higher recognition level for evaluation levels beyond EAL4 (respectively E3-basic) is provided for products related to specific technical domains. This agreement was signed initially by Finland, France, Germany, The Netherlands, Norway, Spain, Sweden and the United Kingdom. Italy joined the SOG-IS MRA in December 2010.

For details of the current list of signatory nations, approved certification schemes and the list of technical domains for which the higher recognition applies, see <https://www.sogis.eu>.

## 1 Executive Summary

This Certification Report states the outcome of the Common Criteria security evaluation of the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2. The developer of the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2 is NXP Semiconductors N.V. located in Eindhoven, The Netherlands and they also act as the sponsor of the evaluation and certification. A Certification Report is intended to assist prospective consumers when judging the suitability of the IT security properties of the product for their particular requirements.

The TOE is a composite platform containing the Java Card eUICC OS embedded on the SN300 B2 Secure Element with IC Dedicated Software. The eUICC is an UICC embedded in a consumer device and may be in a removable form factor or otherwise. It connects to a given mobile network, by means of its currently enabled MNO profile.

The TOE was evaluated initially by TÜV Informationstechnik GmbH located in Essen, Germany and was certified on 21 July 2023. The re-evaluation of the TOE has also been conducted by TÜV Informationstechnik GmbH and was completed on 11 August 2023 with the approval of the ETR. The re-certification procedure has been conducted in accordance with the provisions of the Netherlands Scheme for Certification in the Area of IT Security [NSCIB].

This second issue of the Certification Report is a result of a “recertification with major changes”.

The major changes are:

- Functional extensions and some minor bug fixes
- Code hardening
- Guidance updates

The security evaluation reused the evaluation results of previously performed evaluations. A full, up-to-date vulnerability analysis has been made, as well as renewed testing.

The scope of the evaluation is defined by the security target [ST], which identifies assumptions made during the evaluation, the intended environment for the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2, the security requirements, and the level of confidence (evaluation assurance level) at which the product is intended to satisfy the security requirements. Consumers of the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2 are advised to verify that their own environment is consistent with the security target, and to give due consideration to the comments, observations and recommendations in this certification report.

The results documented in the evaluation technical report [ETR]<sup>1</sup> for this product provide sufficient evidence that the TOE meets the EAL4 augmented (EAL4+) assurance requirements for the evaluated security functionality. This assurance level is augmented with ALC\_DVS.2 (Sufficiency of security measures) and AVA\_VAN.5 (Advanced methodical vulnerability analysis).

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5 [CEM] for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5 [CC] (Parts I, II and III).

TrustCB B.V., as the NSCIB Certification Body, declares that the evaluation meets all the conditions for international recognition of Common Criteria Certificates and that the product will be listed on the NSCIB Certified Products list. Note that the certification results apply only to the specific version of the product as evaluated.

---

<sup>1</sup> The Evaluation Technical Report contains information proprietary to the developer and/or the evaluator, and is not available for public review.

## 2 Certification Results

### 2.1 Identification of Target of Evaluation

The Target of Evaluation (TOE) for this evaluation is the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2 from NXP Semiconductors N.V. located in Eindhoven, The Netherlands.

The TOE is comprised of the following main components:

| Delivery item type | Identifier  | Version              |
|--------------------|---|----------------------|
| Hardware           | NXP SN300 B2 Series – Secure Element  | SN300_SE B2.1.001 JB |
| Software           | JCOP 8.0 OS with eUICC functionalities including Shared Code (with Cryptolib), FlashOS, CommOS, SystemOS, and SMK | 1.39.0.2             |

To ensure secure usage a set of guidance documents is provided, together with the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2. For details, see section 2.5 “Documentation” of this report.

For a detailed and precise description of the TOE lifecycle, see the [ST-lite], Chapter 1.5.

### 2.2 Security Policy

The TOE has the following features:

- Hardware-supported features
  - hardware to perform computations on multiprecision integers, which are suitable for public-key cryptography
  - hardware to calculate the Data Encryption Standard with up to three keys
  - hardware to calculate the Advanced Encryption Standard (AES) with different key lengths
  - hardware to support Cipher Block Chaining (CBC), Cipher Feedback (CFB), and Counter (CTR) modes of operation for symmetric-key cryptographic block ciphers
  - hardware to support Galois/Counter Mode (GCM) of operation for symmetric-key cryptographic block ciphers
  - hardware to serve with True Random Numbers
  - hardware to control access to memories and hardware components.
- Cryptographic algorithms and functionality
  - AES
  - Triple-DES (3DES)
  - RSA for encryption/decryption and signature generation and verification
  - RSA key generation
  - ECDSA signature generation and verification
  - ECDH key exchange
  - ECC key generation
  - ECC point operations and key validation

- Diffie Hellman key exchange on Montgomery Curves over GF(p)
- Key generation for the Diffie Hellman key exchange on Montgomery Curves over GF(p))
- EdDSA signature generation and verification
- EdDSA key generation
- SHA-1, SHA-224, SHA-256, SHA-384, SHA-512 algorithms
- HMAC algorithms
- eUICC authentication functions (MILENAGE, TUAKE and CAVE)
- Data Protection Module for a secure storage of the sensitive data.
- Random number generation according to class DRG.3 or DRG.4 of AIS20 and initialized (seeded) by the hardware random number generator of the TOE.
- Java Card 3.1 functionality
- GlobalPlatform 2.3.1 functionality
- GSMA 'Remote SIM Provisioning Architecture for consumer Devices' (SGP.22 v2.2)
- NXP proprietary functionality
  - Runtime Configuration Interface: Config Applet that can be used for configuration of the TOE.
  - OS Update Component: Proprietary functionality that can update JCOP OS, Crypto Lib, Flash Services Software or Updater OS. This component allows only NXP authorised updates to the product.
  - Restricted Mode: In Restricted Mode only very limited functionality of the TOE is available such as reading logging information or resetting the Attack Counter.
  - Image4 (IM4): Software which ensures the customer authorisation of any product updates using OS update or Applet Migration features, and provides features to make the update management easier.
  - Error Detection Code (EDC) API.

## 2.3 Assumptions and Clarification of Scope

### 2.3.1 Assumptions

The assumptions defined in the Security Target are not covered by the TOE itself. These aspects lead to specific Security Objectives to be fulfilled by the TOE-Environment. For detailed information on the security objectives that must be fulfilled by the TOE environment, see section 5.2 of the [ST].

### 2.3.2 Clarification of scope

The evaluation did not reveal any threats to the TOE that are not countered by the evaluated security functions of the product.

The following components of the platform are not part of the TOE:

- HW NFC Controller Subsystem and Power Management Unit (see [HW-CERT])
- JCOP eSE and any other secondary JCOP (optional)
- CommunicationOS


The following functionality is also present without specific security claims:

- 5G features as per SIM Alliance 2.3
- Programmable Timeout for SMB with Limitations.
- CPLC data made available through SystemInfo.

- Compliance to Secure Element configuration, Common Implementation Configuration, UICC Configuration, and UICC Configuration Contactless Extension

## 2.4 Architectural Information

The top-level block diagram of the TOE is depicted in the following figure.



## 2.5 Documentation

The following documentation is provided with the product by the developer to the customer:

| Identifier  | Version    | Date       |
|---|------------|------------|
| JCOP 8.0 User Guidance Manual   | Rev. 2.7.1 | 2023-04-05 |
| JCOP 8.0 User Guidance Manual Addendum                                      | Rev. 2.6.0 | 2023-03-27 |
| JCOP 8.0 Anomaly Sheet  | Rev. 2.6.0 | 2023-03-27 |
| JCOP 8.0 R1.39.0.2 (JCOP 8.0 19.5-2.39) User Guidance Manual for JCOP eUICC | Rev. 2.7.3 | 2023-07-10 |
| JCOP 8.0 User Guidance Manual Addendum UICC                                 | Rev. 2.7.0 | 2023-03-29 |
| JCOP 8.0 User Guidance Manual Addendum System Management                    | Rev. 2.6.2 | 2023-07-10 |

## 2.6 IT Product Testing

Testing (depth, coverage, functional tests, independent testing): The evaluators examined the developer’s testing activities documentation and verified that the developer has met their testing responsibilities.

### 2.6.1 Testing approach and depth

The developer performed extensive testing on functional specification, subsystem and SFR-enforcing module level. All parameter choices were addressed at least once. All boundary cases identified were tested explicitly, and additionally the near-boundary conditions were covered probabilistically. The testing was largely automated using industry standard and proprietary test suites. Test scripts were used extensively to verify that the functions return the expected values.

The underlying hardware test results are extendable to composite evaluations, because the underlying platform is operated according to its guidance and the composite evaluation requirements are met.

During baseline and current evaluation, for the testing performed by the evaluators, the developer provided samples and a test environment. The evaluators reproduced a selection of the developer tests, as well as a small number of test cases designed by the evaluator.



## 2.6.2 Independent penetration testing

Based on a list of potential vulnerabilities applicable to the TOE in its operational environment created during vulnerability analysis the evaluators devised the attack scenarios for penetration tests when they were of the opinion, that those potential vulnerabilities could be exploited in the TOE's operational environment. While doing this, also the aspects of the security architecture were considered for penetration testing.

Source code reviews of the provided implementation representation accompanied the development of test cases and were used to find input for testing. The code inspection also supported the testing activities because they enabled the evaluator to verify implementation aspects that could hardly be covered by test cases.

The total test effort expended by the evaluators during the first certification was 106 days. During that test campaign, 32% of the total time was spent on Perturbation attacks, 53% on side-channel testing, and 15% on logical tests. During this re-certification the total test effort was 1 week. During that test campaign, 100% of the total time was spent on Perturbation attacks.

## 2.6.3 Test configuration

The configuration of the sample used for independent evaluator testing and penetration testing was the same as described in the [ST].

Penetration testing was also performed on derivative revisions (including the baseline version) of the TOE. The assurance gained from testing on these derivative revisions has been assessed to be valid for the final TOE version, because the changes introduced were minimal and did not have an impact on the TSF.

## 2.6.4 Test results

The testing activities, including configurations, procedures, test cases, expected results and observed results are summarised in the [ETR], with references to the documents containing the full details.

The developer's tests and the independent functional tests produced the expected results, giving assurance that the TOE behaves as specified in its [ST] and functional specification.

No exploitable vulnerabilities were found with the independent penetration tests.

The algorithmic security level of cryptographic functionality has not been rated in this certification process, but the current consensus on the algorithmic security level in the open domain, i.e., from the current best cryptanalytic attacks published, has been taken into account.

Not all key sizes specified in the [ST] have sufficient cryptographic strength for satisfying the AVA\_VAN.5 "high attack potential". The TOE supports a wider range of key sizes (see [ST]), including those with sufficient algorithmic security level to exceed 100 bits as required for high attack potential (AVA\_VAN.5).

The strength of the implementation of the cryptographic functionality has been assessed in the evaluation, as part of the AVA\_VAN activities.

For composite evaluations, please consult the [ETRFc] for details.

## 2.7 Reused Evaluation Results

This is a re-certification. Documentary evaluation results of the earlier version of the TOE have been reused, but vulnerability analysis and penetration testing has been renewed.

There has been extensive reuse of the ALC aspects for the sites involved in the development and production of the TOE, by use of multiple site certificates and Site Technical Audit Reports.

No sites have been visited as part of this evaluation.

## 2.8 Evaluated Configuration

The TOE is defined uniquely by its name and version number NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2.

## 2.9 Evaluation Results

The evaluation lab documented their evaluation results in the [ETR], which references an ASE Intermediate Report and other evaluator documents. To support composite evaluations according to [COMP] a derived document [ETRFc] was provided and approved. This document provides details of the TOE evaluation that must be considered when this TOE is used as platform in a composite evaluation.

The verdict of each claimed assurance requirement is “**Pass**”.

Based on the above evaluation results the evaluation lab concluded the NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element, version JCOP 8.0 R1.39.0.2, to be **CC Part 2 extended, CC Part 3 conformant**, (to be **CC Part 2 extended, CC Part 3 conformant**, and to meet the requirements of **EAL 4 augmented with ALC\_DVS.2 and AVA\_VAN.5**. This implies that the product satisfies the security requirements specified in Security Target [ST].

The Security Target claims ‘strict’ conformance to the Protection Profile [PP0100] and ‘demonstrable’ conformance to the Protection Profile [PP0099].

## 2.10 Comments/Recommendations

The user guidance as outlined in section 2.5 “Documentation” contains necessary information about the usage of the TOE. Certain aspects of the TOE’s security functionality, in particular the countermeasures against attacks, depend on accurate conformance to the user guidance of both the software and the hardware part of the TOE. There are no particular obligations or recommendations for the user apart from following the user guidance. Please note that the documents contain relevant details concerning the resistance against certain attacks.

In addition, all aspects of assumptions, threats and policies as outlined in the Security Target not covered by the TOE itself must be fulfilled by the operational environment of the TOE.

The customer or user of the product shall consider the results of the certification within his system risk management process. For the evolution of attack methods and techniques to be covered, the customer should define the period of time until a re-assessment for the TOE is required and thus requested from the sponsor of the certificate.

The strength of the cryptographic algorithms and protocols was not rated in the course of this evaluation. This specifically applies to the following proprietary or non-standard algorithms, protocols and implementations: MIFARE and FeliCa, which are out of scope as there are no security claims relating to these.

Not all key sizes specified in the [ST] have sufficient cryptographic strength to satisfy the AVA\_VAN.5 “high attack potential”. To be protected against attackers with a “high attack potential”, appropriate cryptographic algorithms with sufficiently large cryptographic key sizes shall be used (references can be found in national and international documents and standards).

### 3 Security Target

The "NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element", Security Target, Revision 0.18, 12 July 2023. [ST] is included here by reference.

Please note that, to satisfy the need for publication, a public version [ST-lite] has been created and verified according to [ST-SAN].

### 4 Definitions

This list of acronyms and definitions contains elements that are not already defined by the CC or CEM:

|         |   |
|---------|---|
| AES     | Advanced Encryption Standard                                    |
| CBC     | Cipher Block Chaining (a block cipher mode of operation)        |
| CBC-MAC | Cipher Block Chaining Message Authentication Code               |
| CFB     | Cipher Feedback   |
| CTR     | Counter   |
| DES     | Data Encryption Standard  |
| CPLC    | Card Production Life Cycle                                      |
| CRT     | Chinese Remainder Theorem                                       |
| CSP     | Cryptographic Service Provider                                  |
| DES     | Data Encryption Standard  |
| DRG     | Deterministic Random Generator                                  |
| ECB     | Electronic Code Book (a block cipher mode of operation)         |
| ECC     | Elliptic Curve Cryptography                                     |
| ECDA    | Elliptic Curve Direct Anonymous Attestation                     |
| ECDSA   | Elliptic Curve Digital Signature Algorithm                      |
| ECDH    | Elliptic Curve Diffie Hellman                                   |
| EDC     | Error Detection Code  |
| EdDSA   | Elliptic Curve Edwards-curve Digital Signature Algorithm        |
| eUICC   | embedded Universal Integrated Circuit Card                      |
| GCM     | Galois/Counter Mode   |
| GF      | Galois Field  |
| GP      | Global Platform   |
| GCM     | Galois/Counter Mode   |
| GSMA    | Groupe Speciale Mobile Association                              |
| IM4     | Image4  |
| IT      | Information Technology  |
| ITSEF   | IT Security Evaluation Facility                                 |
| JIL     | Joint Interpretation Library                                    |
| MAC     | Message Authentication Code                                     |
| MNO     | Mobile Network Operators  |
| NFC     | Near-Field Communication  |
| NSCIB   | Netherlands Scheme for Certification in the area of IT security |



|     |                                 |
|-----|---------------------------------|
| PP  | Protection Profile              |
| RSA | Rivest-Shamir-Adleman Algorithm |
| SHA | Secure Hash Algorithm           |
| SMB | Secure Mailbox                  |
| TOE | Target of Evaluation            |

## 5 Bibliography

This section lists all referenced documentation used as source material in the compilation of this report.

|            |  |
|------------|--|
| [CC]       | Common Criteria for Information Technology Security Evaluation, Parts I, II and III, Version 3.1 Revision 5, April 2017                          |
| [CEM]      | Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017  |
| [COMP]     | Joint Interpretation Library, Composite product evaluation for Smart Cards and similar devices, Version 1.5.1, May 2018                          |
| [ETR]      | EVALUATION TECHNICAL REPORT SUMMARY (ETR SUMMARY), 8120511311 / NSCIB-2200043-02, version 2, 02 August 2023                                      |
| [ETRFc]    | EVALUATION TECHNICAL REPORT FOR COMPOSITE EVALUATION (ETR COMP), 8120511311 / NSCIB-2200043-02, version 2, 02 August 2023                        |
| [HW-CERT]  | SN300 Secure Element version B2.1.001 JB, NSCIB-2200030-01-CR, version 1, 13 May 2023.   |
| [HW-ETRFc] | EVALUATION TECHNICAL REPORT FOR COMPOSITE EVALUATION, 2200030-01_ETR-COMP_230512_v2, 2.0, 12-May-2023  |
| [HW-ST]    | NXP SN300 B2 Series - Secure Element Security Target, rev. 0.9, 09 May 2023  |
| [JIL-AAPS] | JIL Application of Attack Potential to Smartcards, Version 3.2, November 2022  |
| [JIL-AM]   | Attack Methods for Smartcards and Similar Devices, Version 2.4, January 2020 (sensitive with controlled distribution)                            |
| [NSCIB]    | Netherlands Scheme for Certification in the Area of IT Security, Version 2.6, 02 August 2022   |
| [PP0099]   | Java Card System - Open Configuration Protection Profile, version 3.1, April 2020, registered under the reference BSI-CC-PP-0099-V2-2020         |
| [PP0100]   | Embedded UICC for Consumer Devices, GSMA Association, Version 1.0 05-June-2018, 05 June 2018, registered under the reference BSI-CC-PP-0100-2018 |
| [ST]       | "NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element", Security Target, Revision 0.18, 12 July 2023.                                    |
| [ST-lite]  | "NXP JCOP 8.x with eUICC extension on SN300 B2 Secure Element", Security Target Lite, Revision 0.18, 12 July 2023.                               |
| [ST-SAN]   | ST sanitising for publication, CC Supporting Document CCDB-2006-04-004, April 2006   |

(This is the end of this report.)