

Certification Report

H1D3 Secure Microcontroller with Crypto Library v1.4.1

Sponsor and developer: **Google LLC**
1600 Amphitheatre Parkway
Mountain View, CA 94043
USA

Evaluation facility: **SGS Brightsight B.V.**
Brassersplein 2
2612 CT Delft
The Netherlands

Report number: **NSCIB-CC-2300073-02-CR**

Report version: **1**

Project number: **NSCIB-2300073-02**

Author(s): **Jordi Mujal**

Date: **21 June 2024**

Number of pages: **12**

Number of appendices: **0**

Reproduction of this report is authorised only if the report is reproduced in its entirety.

CONTENTS

Foreword	3
Recognition of the Certificate	4
International recognition	4
European recognition	4
1 Executive Summary	5
2 Certification Results	6
2.1 Identification of Target of Evaluation	6
2.2 Security Policy	6
2.3 Assumptions and Clarification of Scope	7
2.3.1 Assumptions	7
2.3.2 Clarification of scope	7
2.4 Architectural Information	7
2.5 Documentation	8
2.6 IT Product Testing	8
2.6.1 Testing approach and depth	8
2.6.2 Independent penetration testing	8
2.6.3 Test configuration	9
2.6.4 Test results	9
2.7 Reused Evaluation Results	9
2.8 Evaluated Configuration	9
2.9 Evaluation Results	10
2.10 Comments/Recommendations	10
3 Security Target	11
4 Definitions	11
5 Bibliography	12

Foreword

The Netherlands Scheme for Certification in the Area of IT Security (NSCIB) provides a third-party evaluation and certification service for determining the trustworthiness of Information Technology (IT) security products. Under this NSCIB, TrustCB B.V. has the task of issuing certificates for IT security products, as well as for protection profiles and sites.

Part of the procedure is the technical examination (evaluation) of the product, protection profile or site according to the Common Criteria assessment guidelines published by the NSCIB. Evaluations are performed by an IT Security Evaluation Facility (ITSEF) under the oversight of the NSCIB Certification Body, which is operated by TrustCB B.V. in cooperation with the Ministry of the Interior and Kingdom Relations.

An ITSEF in the Netherlands is a commercial facility that has been licensed by TrustCB B.V. to perform Common Criteria evaluations; a significant requirement for such a licence is accreditation to the requirements of ISO Standard 17025 “General requirements for the accreditation of calibration and testing laboratories”.

By awarding a Common Criteria certificate, TrustCB B.V. asserts that the product or site complies with the security requirements specified in the associated (site) security target, or that the protection profile (PP) complies with the requirements for PP evaluation specified in the Common Criteria for Information Security Evaluation. A (site) security target is a requirements specification document that defines the scope of the evaluation activities.

The consumer should review the (site) security target or protection profile, in addition to this certification report, to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, its security requirements, and the level of confidence (i.e., the evaluation assurance level) that the product or site satisfies the security requirements stated in the (site) security target.

Reproduction of this report is authorised only if the report is reproduced in its entirety.

Recognition of the Certificate

Presence of the Common Criteria Recognition Arrangement (CCRA) and the SOG-IS logos on the certificate indicates that this certificate is issued in accordance with the provisions of the CCRA and the SOG-IS Mutual Recognition Agreement (SOG-IS MRA) and will be recognised by the participating nations.

International recognition

The CCRA was signed by the Netherlands in May 2000 and provides mutual recognition of certificates based on the Common Criteria (CC). Since September 2014 the CCRA has been updated to provide mutual recognition of certificates based on cPPs (exact use) or STs with evaluation assurance components up to and including EAL2+ALC_FLR.

For details of the current list of signatory nations and approved certification schemes, see <http://www.commoncriteriaportal.org>.

European recognition

The SOG-IS MRA Version 3, effective since April 2010, provides mutual recognition in Europe of Common Criteria and ITSEC certificates at a basic evaluation level for all products. A higher recognition level for evaluation levels beyond EAL4 (respectively E3-basic) is provided for products related to specific technical domains. This agreement was signed initially by Finland, France, Germany, The Netherlands, Norway, Spain, Sweden and the United Kingdom. Italy joined the SOG-IS MRA in December 2010.

For details of the current list of signatory nations, approved certification schemes and the list of technical domains for which the higher recognition applies, see <https://www.sogis.eu>.

1 Executive Summary

This Certification Report states the outcome of the Common Criteria security evaluation of the H1D3 Secure Microcontroller with Crypto Library v1.4.1. The developer of the H1D3 Secure Microcontroller with Crypto Library v1.4.1 is Google LLC located in Mountain View, USA and they also act as the sponsor of the evaluation and certification. A Certification Report is intended to assist prospective consumers when judging the suitability of the IT security properties of the product for their particular requirements.

The TOE is a Secure Microcontroller with Crypto Library. The TOE is used in smartphone, servers and personal computers to increase the security of the platform including but not limited to secure boot, user authentication, and user data protection.

The TOE was evaluated initially by SGS Brightsight B.V. located in Delft, The Netherlands and was certified on 06 October 2023. The re-evaluation of the TOE has also been conducted by SGS Brightsight B.V. and was completed on 21 June 2024 with the approval of the ETR. The re-certification procedure has been conducted in accordance with the provisions of the Netherlands Scheme for Certification in the Area of IT Security [NSCIB].

This second issue of the Certification Report is a result of a “recertification with major changes”.

The major changes comprise an update of the life cycle involved sites, a new version of the Crypto Library and the associated guidance documents:

- RSA Decryption now supports OAEP and PKCS#1 v1.5 padding
- ECDSA now supports curves NIST P-384
- ECDH key exchange now supports curves NIST P-384 and x25519
- RSA signature verification, AES mode CFB, AES CMAC and HMAC-SHA256 are no longer supported in the certified configuration.

The security evaluation reused the evaluation results of previously performed evaluations. A full, up-to-date vulnerability analysis has been made, as well as renewed testing.

The scope of the evaluation is defined by the security target [ST], which identifies assumptions made during the evaluation, the intended environment for the H1D3 Secure Microcontroller with Crypto Library v1.4.1, the security requirements, and the level of confidence (evaluation assurance level) at which the product is intended to satisfy the security requirements. Consumers of the H1D3 Secure Microcontroller with Crypto Library v1.4.1 are advised to verify that their own environment is consistent with the security target, and to give due consideration to the comments, observations and recommendations in this certification report.

The results documented in the evaluation technical report [ETR]¹ for this product provide sufficient evidence that the TOE meets the EAL4 augmented (EAL4+) assurance requirements for the evaluated security functionality. This assurance level is augmented with ATE_DPT.2 (Testing: security enforcing modules), ALC_DVS.2 (Sufficiency of security measures), and AVA_VAN.5 (Advanced methodical vulnerability analysis).

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5 [CEM] for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5 [CC] (Parts I, II and III).

TrustCB B.V., as the NSCIB Certification Body, declares that the evaluation meets all the conditions for international recognition of Common Criteria Certificates and that the product will be listed on the NSCIB Certified Products list. Note that the certification results apply only to the specific version of the product as evaluated.

¹ The Evaluation Technical Report contains information proprietary to the developer and/or the evaluator, and is not available for public review.

2 Certification Results

2.1 Identification of Target of Evaluation

The Target of Evaluation (TOE) for this evaluation is the H1D3 Secure Microcontroller with Crypto Library v1.4.1 from Google LLC located in Mountain View, USA.

The TOE is comprised of the following main components:

Delivery item type	Identifier	Version
Hardware	H1D3 Secure Microcontroller (packaged as H1D3M, H1D3P or H1D3C)	3
Software	Bootloader (embedded in ROM)	7f4bdb
	Crypto Library	1.4.1

To ensure secure usage a set of guidance documents is provided, together with the H1D3 Secure Microcontroller with Crypto Library v1.4.1. For details, see Section 2.5 of this report.

For a detailed and precise description of the TOE lifecycle, see the [ST], Chapter 1.5.4.

2.2 Security Policy

The TOE maintains:

- the integrity and confidentiality of code and data stored in its memories as defined in the [ST].
- the integrity, the correct operation and the confidentiality of security functionality provided by the TOE.

This is ensured by the construction of the TOE and its security functionality.

The H1D3 Secure Microcontroller with Crypto Library v1.4.1 basically provides the following hardware features:

- Memory Protection Unit (MPU)
- HMAC- SHA256, SHA256
- AES hardware engine
- Public Key cryptographic coprocessor
- A True Random Number Generator (TRNG)
- A Deterministic Random Bit Generator (DRGB) based on HMAC
- Environmental sensors.

In addition, the TOE provides the following software features as part of the IC Dedicated Software:

- Bootloader
- Cryptographic library, providing the following services or access to HW co-processors:
 - RSA signature generation and decryption/encryption
 - EC Key Generation
 - ECDSA
 - ECDH
 - AES (CBC, ECB, GCM, and CRT)
 - SHA-256, SHA-384 and SHA-512
 - HMAC-SHA384/512

2.3 Assumptions and Clarification of Scope

2.3.1 Assumptions

The assumptions defined in the Security Target are not covered by the TOE itself. These aspects lead to specific Security Objectives to be fulfilled by the TOE-Environment. For detailed information on the security objectives that must be fulfilled by the TOE environment, see section 4.2 of the [ST].

2.3.2 Clarification of scope

The evaluation did not reveal any threats to the TOE that are not countered by the evaluated security functions of the product.

Note that the TDES functionality is out of the scope of the certification.

2.4 Architectural Information


The TOE consists of the Secure Microcontroller hardware and the IC Dedicated Software.

The following hardware features are provided:

- RISC-V Soteria CPU with a single execution mode
- Memory Protection Unit (MPU)
- Flash memory
- RAM memory
- ROM memory
- OTP memory (Fuse)
- HMAC-SHA256, SHA256, AES hardware engines
- Public Key cryptographic coprocessor
- A True Random Number Generator (TRNG)
- A Deterministic Random Bit Generator (DRBG) based on HMAC
- Environmental sensors

A block diagram is given in Figure 1 below.

The TOE's IC Dedicated Software comprises the bootloader and the Crypto Library. The bootloader is stored in ROM. The image loaded and verified by the TOE bootloader includes the Crypto Library in addition to the Embedded Software. The Crypto Library is described in section 2.2 above.



2.5 Documentation

The following documentation is provided with the product by the developer to the customer:

Name	Version	Date
H1D3 Preparatory Guidance	4.2	2024-03-02
Cryptolib v1.4.1 API User Guidance		2024-01-17
Addendum Cryptolib v1.4.1 API User Guidance	1.2	2024-05-07
H1D3C Datasheet	1.2	2021-06-30
H1D3M Datasheet	1.2	2021-06-30
H1D3P Datasheet	1.2	2021-06-30
H1D3 Register Specification ²		2021-09-30
H1D3 User Guidance	1.3	2021-09-28
H1D3 Code Signing	1.1	2021-09-28
H1D3 SPI flashing instructions	1.2	2021-10-08
Soteria Technical Reference Manual	1.3	2021-10-08

2.6 IT Product Testing

Testing (depth, coverage, functional tests, independent testing): The evaluators examined the developer's testing activities documentation and verified that the developer has met their testing responsibilities.

2.6.1 Testing approach and depth

For the hardware parts of the TOE, the developer performed three categories of testing: pre-silicon testing (simulation/emulation), post-silicon testing and production testing. These test categories are combined to achieve a good coverage and depth of testing, both on the design of the hardware parts of the TOE and on each of the manufactured ICs.

For the software parts of the TOE, the developer performed three categories of testing: simulation tests (including code coverage analysis), emulation and on-TOE testing. These categories were applied to the TOE to achieve a good coverage and depth of testing. All tests were executed using an automated framework.

The tests performed by the evaluator are selected focusing on the verification of security features, with a focus on functionality that cannot be covered with code coverage analysis (e.g. cryptographic operations). Repeating the tests requires the same equipment used by the developer, which is not always available at the ITSEF. Therefore, all selected tests were witnessed remotely at the developer's site.

During recertification, the functional testing was performed again on the latest version of the Crypto Library. The developer executed the same test strategy as in the original evaluation.

All test results were as expected. No deviations were found.

2.6.2 Independent penetration testing

The methodical analysis performed was conducted along the following steps:

- When evaluating the evidence in the classes ASE, ADV and AGD the evaluator considers whether potential vulnerabilities can already be identified due to the TOE type and/or specified behaviour in such an early stage of the evaluation.

2 The version of this document is linked to the TOE hardware version '3'

- For ADV_IMP a thorough implementation representation review is performed on the TOE focused on the Secure IC, Cryptographic Library and Bootloader. During this attack-oriented analysis, the protection of the TOE is analysed using the knowledge gained from all previous evaluation classes. This results in the identification of (additional) potential vulnerabilities. For this, analysis will be performed taking into account the attack methods in *[JIL-AM]* and applicable attack papers with rating according to *[JIL-AAPS]*.
- All potential vulnerabilities are analysed using the knowledge gained from all evaluation classes and information from the public domain. A judgment was made on how to assure that these potential vulnerabilities are not exploitable. The potential vulnerabilities are addressed by penetration testing, a guidance update or in other ways that are deemed appropriate.

During this certification, the total test effort expended by the evaluators was 14 weeks. During that test campaign, 30% of the total time was spent on Perturbation attacks and 70% on side-channel testing.

2.6.3 Test configuration

During the baseline evaluation, the testing was performed on the TOE (H1D3) and on an earlier version of the TOE (H1D2). The differences between these two versions have been analysed. They have no impact on the test results; hence the test results of the earlier version apply also to the TOE. It should be noted that the hardware version also uniquely identifies the Bootloader, which is in ROM.

During this certification, the testing was performed on the CL version specified in the *[ST]* and on an earlier version of the TOE CL. The differences between these versions have been analysed. They have no impact on the test results; hence the test results of the earlier versions apply also to the TOE.

2.6.4 Test results

The testing activities, including configurations, procedures, test cases, expected results and observed results are summarised in the *[ETR]*, with references to the documents containing the full details.

The developer's tests and the independent functional tests produced the expected results, giving assurance that the TOE behaves as specified in its *[ST]* and functional specification.

No exploitable vulnerabilities were found with the independent penetration tests.

The algorithmic security level of cryptographic functionality has not been rated in this certification process, but the current consensus on the algorithmic security level in the open domain, i.e., from the current best cryptanalytic attacks published, has been taken into account.

Not all key sizes specified in the *[ST]* have sufficient cryptographic strength for satisfying the AVA_VAN.5 "high attack potential". The TOE supports a wider range of key sizes (see *[ST]*), including those with sufficient algorithmic security level to exceed 100 bits as required for high attack potential (AVA_VAN.5).

The strength of the implementation of the cryptographic functionality has been assessed in the evaluation, as part of the AVA_VAN activities.

For composite evaluations, please consult the *[ETRfC]* for details.

2.7 Reused Evaluation Results

This is a re-certification. Documentary evaluation results of the earlier version of the TOE have been reused, but vulnerability analysis and penetration testing has been renewed.

There has been extensive reuse of the ALC aspects for the sites involved in the development and production of the TOE, by use of site certificates and Site Technical Audit Reuse reports.

2.8 Evaluated Configuration

The TOE is defined uniquely by its name and version number H1D3 Secure Microcontroller with Crypto Library v1.4.1. The TOE can be identified as described in the H1D3 Preparatory Guidance as referenced in the *[ST]*. The hardware version can be read from a dedicated register, whereas the Crypto Library version can be determined from its commit hash through the provided API.

2.9 Evaluation Results

The evaluation lab documented their evaluation results in the [ETR], which references an ASE Intermediate Report and other evaluator documents, and Site Technical Audit Reports for the audited sites³ audited during baseline certification, namely [STAR_SVL], [STAR_KIR] and [STAR_SJC].

To support composite evaluations according to [COMP] a derived document [ETRfC] was provided and approved. This document provides details of the TOE evaluation that must be considered when this TOE is used as platform in a composite evaluation.

The verdict of each claimed assurance requirement is “Pass”.

Based on the above evaluation results the evaluation lab concluded the H1D3 Secure Microcontroller with Crypto Library v1.4.1, to be **CC Part 2 extended, CC Part 3 conformant**, and to meet the requirements of **EAL 4 augmented with ATE_DPT.2, ALC_DVS.2 and AVA_VAN.5**. This implies that the product satisfies the security requirements specified in Security Target [ST].

The Security Target claims 'strict' conformance to the Protection Profile [PP_0084].

2.10 Comments/Recommendations

The user guidance as outlined in section 2.5 contains necessary information about the usage of the TOE. Certain aspects of the TOE's security functionality, in particular the countermeasures against attacks, depend on accurate conformance to the user guidance of both the software and the hardware part of the TOE. There are no particular obligations or recommendations for the user apart from following the user guidance. Please note that the documents contain relevant details concerning the resistance against certain attacks.

This TOE is critically dependent on the operational environment to provide countermeasures against specific attacks as described in section 3.2, 3.4, and 3.5 of the H1D3 User Guidance as referenced in the [ST]. Therefore, it is vital to maintain meticulous adherence to the user guidance of both the software and the hardware part of the TOE.

In addition, all aspects of assumptions, threats and policies as outlined in the Security Target not covered by the TOE itself must be fulfilled by the operational environment of the TOE.

The customer or user of the product shall consider the results of the certification within his system risk management process. For the evolution of attack methods and techniques to be covered, the customer should define the period of time until a re-assessment for the TOE is required and thus requested from the sponsor of the certificate.

The strength of the cryptographic algorithms and protocols was not rated in the course of this evaluation. This specifically applies to the following proprietary or non-standard algorithms, protocols and implementations: None.

Not all key sizes specified in the [ST] have sufficient cryptographic strength to satisfy the AVA_VAN.5 “high attack potential”. To be protected against attackers with a “high attack potential”, appropriate cryptographic algorithms with sufficiently large cryptographic key sizes shall be used (references can be found in national and international documents and standards).

3 The Site Technical Audit Report contains information necessary to an evaluation lab and certification body for the reuse of the site audit report in a TOE evaluation.

3 Security Target

The Titan H1D3 Secure Microcontroller with Crypto Library v1.4.1 Security Target, Revision 5.4, 7 May 2024 [ST] is included here by reference.

Please note that, to satisfy the need for publication, a public version [ST-lite] has been created and verified according to [ST-SAN].

4 Definitions

This list of acronyms and definitions contains elements that are not already defined by the CC or CEM:

AES	Advanced Encryption Standard
CBC	Cipher Block Chaining (a block cipher mode of operation)
CBC-MAC	Cipher Block Chaining Message Authentication Code
CL	Crypto Library
DES	Data Encryption Standard
DFA	Differential Fault Analysis
ECB	Electronic Code Book (a block-cipher mode of operation)
ECC	Elliptic Curve Cryptography
ECDH	Elliptic Curve Diffie-Hellman algorithm
ECDSA	Elliptic Curve Digital Signature Algorithm
EMA	Electromagnetic Analysis
IC	Integrated Circuit
IT	Information Technology
ITSEF	IT Security Evaluation Facility
JIL	Joint Interpretation Library
MAC	Message Authentication Code
MITM	Man-in-the-Middle
NSCIB	Netherlands Scheme for Certification in the area of IT Security
PP	Protection Profile
RNG	Random Number Generator
RSA	Rivest-Shamir-Adleman Algorithm
SHA	Secure Hash Algorithm
SPA/DPA	Simple/Differential Power Analysis
TOE	Target of Evaluation
TRNG	True Random Number Generator

5 Bibliography

This section lists all referenced documentation used as source material in the compilation of this report.

- [CC] Common Criteria for Information Technology Security Evaluation, Parts I, II and III, Version 3.1 Revision 5, April 2017
- [CEM] Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017
- [COMP] Joint Interpretation Library, Composite product evaluation for Smart Cards and similar devices, Version 1.5.1, May 2018
- [ETR] Evaluation Technical Report “Titan H1D3 Secure Microcontroller with Crypto Library v1.4.1” – EAL4+, 20-RPT-1236, version 9.0, 19 June 2024
- [ETRFc] Evaluation Technical Report for Composition “Titan H1D3 Secure Microcontroller with Crypto Library v1.4.1” – EAL4+, 21-RPT-1028, version 9.0, 19 June 2024
- [JIL-AAPS] JIL Application of Attack Potential to Smartcards, Version 3.2, November 2022
- [JIL-AMS] Attack Methods for Smartcards and Similar Devices, Version 2.4, January 2020 (sensitive with controlled distribution)
- [NSCIB] Netherlands Scheme for Certification in the Area of IT Security, Version 2.6, 02 August 2022
- [PP_0084] Security IC Platform Protection Profile with Augmentation Packages, registered under the reference BSI-CC-PP-0084-2014, Version 1.0, 13 January 2014
- [ST] Titan H1D3 Secure Microcontroller with Crypto Library v1.4.1 Security Target, Revision 5.4, 7 May 2024
- [ST-lite] Titan H1D3 Secure Microcontroller with Crypto Library v1.4.1 Security Target Lite, Revision 5.4, 7 May 2024
- [ST-SAN] ST sanitising for publication, CC Supporting Document CCDB-2006-04-004, April 2006
- [STAR_KIR] Site Technical Audit Report - KIR-6THE, 24-RPT-547, version 2.0, 23 May 2024
- [STAR_SJC] Site Technical Audit Report - SJC-TM2, 24-RPT-548, version 2.0, 23 May 2024
- [STAR_SVL] Site Technical Audit Report - Google SVL-CRSM1225, 24-RPT-546, version 2.0, 23 May 2024

(This is the end of this report.)