



TrustCB B.V. declares that RA8D1 MCU Group Version A of pensor (and eveloper) Renesas Electronics Bourne End, Buckinghamshire, SL8 5FH, UK complies to the requirements described in Standard and ST Reference GlobalPlatform Technology, Security Evaluation Standard for IoT Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Target for SESIP Profile, PSA Certified™ Level 3 RoT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: Applus+ located in Barcelona, Spain Under scheme: SESIP SESIP As described in TrustCB Scheme Procedures v2.3 Date of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP P™ 3 %		
RA8D1 MCU Group Version A of ponsor (and eveloper) Renesas Electronics Bourne End, Buckinghamshire, SL8 5FH, UK complies to the requirements described in Standard and ST Reference GlobalPlatform Technology, Security Evaluation Standard for IoT Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 RA8D1 Security Target for SESIP Profile, PSA Certified TM Level 3 ROT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: As evaluated by: Applus+ located in Barcelona, Spain Under scheme: SESIP cheme As described in TrustCB Scheme Procedures v2.3 alidity Date of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP PT 3 \$	Certificate ID	SESIP-2400128-01
of ponsor (and peveloper) Renesas Electronics Bourne End, Buckinghamshire, SL8 5FH, UK complies to the requirements described in Standard and ST Reference GlobalPlatform Technology, Security Evaluation Standard for IoT Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Fevaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 T Reference RA8D1 Security Target for SESIP Profile, PSA Certified™ Level 3 RoT Component, version 1.1 Summarised: SESIP3 surance Package With Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 alidity Date of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP P™3 %		TrustCB B.V. declares that
Renesas Electronics Bourne End, Buckinghamshire, SL8 5FH, UK complies to the requirements described in Standard and ST Reference GlobalPlatform Technology, Security Evaluation Standard for IoT Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 T Reference RA8D1 Security Target for SESIP Profile, PSA Certified Methodology Security Evaluation (CEM) v3.1, rev 5 ESSIP Susurance Package With Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: Valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Balidity Date of issue: 2025-02-11 Date of expiry: 2027-02-10 Partification Mark SESIP PT 3 \$	Product	RA8D1 MCU Group Version A
Bourne End, Buckinghamshire, SL8 5FH, UK complies to the requirements described in Standard and ST Reference GlobalPlatform Technology, Security Evaluation Standard for IoT Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 RA8D1 Security Target for SESIP Profile, PSA Certified ™ Level 3 RoT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Bate of issue: 2025-02-11 Date of expiry: 2027-02-10 SESIP Pmid SESIP Pmid Security Standard and STReference SESIP Pmid Security Standard Standard for IoT platform SESIP As described in TrustCB Scheme Procedures v2.3 SESIP As described in TrustCB Scheme Procedures v2.3 SESIP As described in TrustCB Scheme Procedures v2.3		of
GlobalPlatform Technology, Security Evaluation Standard for IoT Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 RA8D1 Security Target for SESIP Profile, PSA Certified ™ Level 3 RoT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: Valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Date of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP P™3 SESIP P™4 SESIP P™4	Sponsor (and Developer)	
Platforms (SESIP), GP_FST_070, Public Release v1.1, June 2021 Based on ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 RA8D1 Security Target for SESIP Profile, PSA Certified™ Level 3 RoT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Pate of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP P™3 **SESIP P™3 *** **SESIP		complies to the requirements described in Standard and ST Reference
ISO/IEC 15408-1:2009, -2:2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology for Information Security Evaluation (CEM) v3.1, rev 5 T Reference RA8D1 Security Target for SESIP Profile, PSA Certified™ Level 3 RoT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 alidity Date of issue: 2025-02-11 Date of expiry: 2027-02-10 SESIP P™3 % SESIP P™3 % SESIP P™3 %		
Level 3 RoT Component, version 1.1 Summarised: SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 alidity Date of issue: Date of expiry: 2025-02-11 Date of expiry: 2027-02-10 SESIP SESIP As described in TrustCB Scheme Procedures v2.3	Standard	ISO/IEC 15408-1:2009, -2 :2008, -3:2008, Common Criteria for Information Technology Security Evaluation (CC) v3.1, rev 5, and ISO/IEC 18045:2008, Common Criteria Evaluation Methodology
SESIP3 with Physical Attacker Resistance and Software Attacker Resistance: Isolation of Platform SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: Valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Palidity Date of issue: 2025-02-11 2027-02-10 Pertification Mark SESIP SESIP As described in TrustCB Scheme Procedures v2.3	ST Reference	, -
SESIP Profile SESIP Profile for PSA Certified RoT Component Level 3 version 1.0 REL 2 As evaluated by: Valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP Cheme SESIP As described in TrustCB Scheme Procedures v2.3 alidity Date of issue: 2025-02-11 Date of expiry: 2027-02-10 SESIP SESIP As Again Date of expiry: 2027-02-10		Summarised:
As evaluated by: valuation Facility Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Date of issue: Date of expiry: 2025-02-11 2027-02-10 ertification Mark SESIP As evaluated by: Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3	Assurance Package	with Physical Attacker Resistance and
Applus+ located in Barcelona, Spain Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Date of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP As described in TrustCB Scheme Procedures v2.3	SESIP Profile	·
Under scheme: SESIP As described in TrustCB Scheme Procedures v2.3 Date of issue: 2025-02-11 Date of expiry: 2027-02-10 Pertification Mark SESIP As described in TrustCB Scheme Procedures v2.3 As described in TrustCB Scheme Procedures v2.3 As described in TrustCB Scheme Procedures v2.3		As evaluated by:
SESIP As described in TrustCB Scheme Procedures v2.3 Date of issue: 2025-02-11 Date of expiry: 2027-02-10 ertification Mark SESIP As described in TrustCB Scheme Procedures v2.3	Evaluation Facility	Applus+ located in Barcelona, Spain
TrustCB Scheme Procedures v2.3 Date of issue: 2025-02-11 2027-02-10 Pertification Mark SESIP™3 %		Under scheme:
Date of expiry: 2027-02-10 ertification Mark SESIP™38	Scheme	As described in
SESIP ^M 38	Validity	
ignatory Wouter Slegers, CEO	Certification Mark	SESIP [™] 38
5 ,	Signatory	Wouter Slegers, CEO

