# Security Target

### ST introduction

The reference of this ST is N5D2M003245A0600 version MIFARE DESFire EV1 1.5.6.2JxU Security Target version v1.3\_3, date 28.10.2021

#### TOF

The TOE is an open platform implementing the MIFARE specification [MIFARE-DES-EV1] and the access control in the MIFARE services.

See PP(s) for details.

#### TOE reference

The TOE is referred to as **Secure Element** N5D2M003245A0600 with **MIFARE DESFire EV1** 1.5.6.2JxU, and is named and uniquely identified using the GetVersion command as follows:

Field	Value
VendorID	0x04
HWMajorVersion	0xF1
HWMinorVersion,	0x00
SWMajorVersion	0x01
SWMinorVersion	0x06
CWCY	1120

In addition, the TOE can be uniquely identified as per the JCOP user guidance manual [JCOP-UGM], using the GET DATA command with 0xDF20 tag, as follows:

<u>Field</u>	<u>Value</u>
JCOP ID	N5D2M003245A0600

#### **TOE** overview

The TOE consists of the following:

TOE	Identification	Form of delivery	Certification	Date of
component			identifier	certificate
				issue
Hardware IC	SN220 Series B0.1 C13	(diced)	ICCN0281	2021-07-
		wafer/module/card		15
Crypto	Crypto Library v2.2.0	Embedded in the	Included in	2021-07-
libraries		above	ICCN	15
JavaCard	N5D2M003245A0600	Embedded in the	PCN0189	2021-10-
		above		12
MIFARE	1.5.6.2JxU	Embedded in the	Functional:	2021-09-
applet		above	D1A_2109_001	27
			Security:	
			MF-2000028-01	

Only (pre-)personalisation guidance is provided. No operational guidance other than the MIFARE specifications is provided.

Any (pre-)personalisation performed by the developer of the TOE on behalf of its customers will lead to a state identical to states possible by executing the MIFARE commands for personalisation.

### Conformance claims

This ST claims strict compliance to [MIFARE DESFIRE PP] (called "PP(s)" in the remainder of this document) under Common Criteria version 3.1, revision 5.

Exactly the SFRs of the PP(s) are included by reference, no omissions nor additions have been made. The ST is therefore CC Part 2 conformant.

The assurance package is **EAL4 augmented with AVA\_VAN.5 and ALC\_DVS.2**. The ST is therefore CC Part 3 conformant.

The rationale behind this claim is the requirement that the MIFARE security evaluation scheme requires compliance to this PP(s) for this TOE type (MIFARE products).

### Security Problem Definition

See PP(s).

### **Objectives**

See PP(s).

## Extended components definition

There are no extended components, see PP(s).

# Security Requirements

### Security Functional Requirements

See PP(s). Note that the PP has no open operations.

### Security Assurance Requirements

See section "Conformance claims".

#### Rationale

See PP(s).

## **TOE Summary Specification**

The TOE implements the SFRs by access control to the MIFARE services in accordance to the MIFARE specification, sufficiently hardened to counter attackers at AVA VAN.5 level.

#### References

[MIFARE DESFIRE PP] MIFARE DESFire EV1/EV2/EV3 Protection Profile v1.3 [MIFARE-DES-EV1] MIFARE DESFire EV1 Interface Specification, Rev. 1.1 (ts335111) [JCOP-UGM] JCOP 6.2 R1.01.1 User Guidance Manual Rev. 1.6, 28. Sept 2021